

# State Aviation Administration of Ukraine

**SAAU**

**TYPE CERTIFICATE DATA SHEET № TL 0046**

**DA 42 M**

**Type Certificate Holder:**

**Diamond Aircraft Industries GmbH**  
N.A. Otto-Str. 5  
A-2700 Wiener Neustadt  
Austria

**Models:**

**DA 42 M**  
**DA 42 M-NG**

Issue 4, 26 June 2013

This Data Sheet which is integral part of Type Certificate № TL 0046 prescribes the conditions and limitations under which the product(s) for which the Type Certificate was granted meet(s) the airworthiness requirements and environmental protection requirements, stated in Certification basis mentioned in this Data Sheet.

List of effective Pages:

Page:	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Issue:	4	3	3	3	3	3	3	3	3	3	4	3	3	4
Page:	15	16	17	18										
Issue:	3	3	3	4										



# CONTENT

## **SECTION 1: DA 42 M**

- I. General
- II. Certification Basis
- III. Technical Characteristics and Operational Limitations
- IV. Operating and Service Instructions
- V. Notes

## **SECTION 2: DA 42 M-NG**

- I. General
- II. Certification Basis
- III. Technical Characteristics and Operational Limitations
- IV. Operating and Service Instructions
- V. Notes



**SECTION 1: DA 42 M****I. General**

Data Sheet No.:	TL 0046
1. a) Type:	DA 42 M
b) Variant:	N/A
2. Airworthiness Category:	Restricted
3. Type Certificate Holder:	Diamond Aircraft Industries GmbH N.A. Otto-Str. 5 A-2700 Wiener Neustadt Austria
4. Manufacturer:	Diamond Aircraft Industries GmbH N.A. Otto-Str. 5 A-2700 Wiener Neustadt Austria
5. EASA Application Date:	01 June 2006
6. Reserved:	
7. EASA Type Certification Date:	14 Dec 2007
8. SAAU Certification Date :	15 June 2010

**II. Certification Basis**

1. Reference Date for determining the applicable requirements:	02-Apr-2002
2. SAAU Application Date	14-July-2009
3. (Reserved)	
4. Certification Basis:	As defined in CRI A-01 and CRI A02 Restricted Type Certification Basis
5. Airworthiness Requirements:	JAR-23, Ammd. 1, issued 01 February 2001 JAR-1, Change 5, issued 15-Jul-1996
6. SAAU Airworthiness Requirements:	AR-23 «Airworthiness Standards for Civil Light Airplane»
7.EASA Special Conditions:	CRI D-02, Variable Elevator Stop CRI E-02, Use of Jet Fuel for Reciprocating Engines CRI E-03, Use of Diesel Fuel for Reciprocating Engines



