

TYPE CERTIFICATE DATA SHEET № TL 0057

Cessna Model 680

Type Certificate Holder: **Cessna Aircraft Company**
P.O. Box 7704
Wichita, Kansas 67277
USA

Model: **Cessna Model 680**

Issue 1, 27 November 2012

This Data Sheet which is integral part of Type Certificate № TL0057 prescribes the conditions and limitations under which the product(s) for which the Type Certificate was issued meet(s) the airworthiness requirements and environmental protection requirements, stated in Certification basis mentioned in this Data Sheet.

List of effective Pages:

Page:	1	2	3	4	5	6
Issue:	1	1	1	1	1	1

CONTENT

- A. General
- B. Certification Basis
- C. Technical Characteristics and Operational Limitations
- D. Notes

A. General

- 1. Type Certificate Holder:** Cessna Aircraft Company P.O. Box 7704 Wichita, Kansas 67277 U.S.A.
- 2. Manufacturer:** Cessna Aircraft Company P.O. Box 7704 Wichita, Kansas 67277 U.S.A.
- 3. Airworthiness Category:** Transport category
- 4. SAAU Certification Application date:** 14 February 2012
- 5. SAAU Type Certification date:** 23 November 2012

B. Certification Basis

- 1. FAA Certification Basis:** As defined in FAA TCDS T00012WI
- 2. SAAU Certification Basis:**
- 2.1. Airworthiness Requirements:** AR-25 "Airworthiness Standards for Transport Category Airplanes"
- 2.2. Environmental Requirements:** ICAO Annex 16, Volume I
- 2.3. SAAU Equivalent Safety Findings:**
- | | |
|---------------------------------------|---|
| AR 25. 103 | Stall speed
(ref. SAAU CRI F-2) |
| AR 25.201(a)(2*),
25.203(a*), (b*) | Stall demonstration. Stall characteristics (ref. SAAU CRI F-5) |
| AR 25.807,
25.813(e) | Emergency Exit Access
(ref. SAAU CRI SL-1) |
| AR 25.815, AR
25.811 (b) | Width of aisle and Emergency exit marking (ref. SAAU CRI SL-2) |
| AR 25.809 (a*) | Emergency exit arrangement
(ref. SAAU CRI SL-5) |
| AR D25F.8.8.6 | Power supply from emergency sources (ref. SAAU CRI E-4) |
| AR 25.1305;
25.1549 | Digital APU Indicators
(ref. SAAU CRI E-6) |
| AR 25.1305;
25.1549 | Digital Engine Parameter, Fuel Flow (ref. SAAU CRI E-7) |
| AR 25.857; 25.1195 | Fire extinguishing systems (ref SAAU CRI E-8) |
| AR 25.933;
25.1309; 25.571 | Reversing systems
(ref. SAAU CRI E-9) |
| AR 25.
D25F.5.10.1.6 | Flight data recorders and cockpit voice recorders (ref. SAAU CRI A-8) |

